

5

10

## SYSTEM AND METHOD FOR GENERATING AND DISTRIBUTING A PUBLICATION

### TECHNICAL FIELD

15

The present invention is generally related to the field of information dissemination and, more particularly, is related to a system and method for generating and distributing a publication. Reference is made to U.S. Patent Application No. \_\_\_\_\_ (Applicants' docket no. 10002421), "System and Method For Generating And Distributing A Publication", by Edward O. Lee, et al, filed on the same day herewith and assigned to the same assignee.

20

### BACKGROUND OF THE INVENTION

25

In the mid 1400's, Johann Gutenberg revolutionized how information is disseminated through his invention of the movable type press. With the publication of the Mazarin Bible, documents which were once held in the exclusive domain of a chosen few were now widely available to the masses. Nearly 550 years later, the mass media revolution that Gutenberg started is alive and well, complete with newspapers such as the New York Times and the Washington Post, magazines such as Newsweek and Sports Illustrated, and literally thousands upon thousands of other lesser known publications.

30

While these thousands of publications cover a wide range of interests, from news to sports to fashion to model rocketry, they have one thing in common: they are intended to be read by a mass market. Unlike the pre-Gutenberg days, where a document would literally be read by only one person or a very small number of people, it is not economically viable for today's publications to have such a small

readership, due at least in part to high marketing, production and distribution costs. In fact, many of today's publications are funded to a very large extent by the advertising contained within them. These advertisers are attracted to publications that can consistently deliver a large, reliable audience of consumers that will be exposed to their advertising.

While this mass market publication model has worked well for hundreds of years, it is not without its problems. One such problem is that a typical reader of a publication has a wide variety of interests, and no single mass market publication will be able to satisfy all these interests. For example, a reader who is interested in international news, golf, fly fishing, genealogy, and computers may have to subscribe to several different publications to satisfy these interests. Of course, since these publications are intended for a mass market, they will also contain a significant amount of material including articles, advertising, and other content that does not hold our reader's interest. Consequently, our reader will ignore such material and a significant amount of paper is wasted. Advertisers know this, and agree to pay considerably less to mass market magazine or newspaper per 1000 exposures to their ad than they would pay to a direct-mail generator that can provide a more specific guarantee that the people exposed to their ad are of a demographic group that will be much more likely to read their ad and be interested in it.

In addition, it is neither cost-effective nor time effective for most readers to subscribe to and/or read a large number of publications. Generally, the typical reader will only subscribe to a few publications that are of the most interest to them. The reader reduced readership level of the publications our typical reader chooses not to subscribe to, even though he would be interested in at least some of the editorial and advertising content contained inside, means that the publication receives less subscription and advertising revenue than they otherwise would. If many other readers make the same decision, the continued health of the publication may be in jeopardy, and the publication may be forced to go out of business. In fact, many publications do go out of business yearly for failing to attract a sustaining number of advertisers and readers, even if there are a large number of readers that would be interested in reading their publication, and a corresponding number of advertisers

anxious to have these readers exposed to their ads. In general, publications that fail to attract a substantial mass market of people willing to pay for and/or read them cease publication. This is a shame, since many of these publications would enrich the diversity of information available to all readers, and would provide an avenue for  
5 lesser known writers and artists to practice their wares.

In more recent years, a new type of publication has emerged, namely, the electronic publication. Readers of these publications typically sign onto the Internet through their computer, and read the publications online. Some of these publications allow users to state personal preferences on what type of material they want to read.  
10 Often, these personalized electronic publications include advertising, usually in the form of a banner ad that is placed on the top of the screen.

While these electronic publications have been an interesting development in the distribution of information, they still represent a tiny fraction of the information that is published under the more traditional post-Gutenberg model. Many readers of  
15 these electronic publications complain that they are very difficult to read, especially for long periods of time. While it might be convenient for a reader to sign onto the Internet to look at a news web site for a brief summary of late breaking news, this reader would most likely only spend a few minutes at the site, and would likely still subscribe to the more traditional print media such as Newsweek or the Washington  
20 Post. They would also likely spend significantly more time reading the more traditional printed publication than they would the electronic publication, and correspondingly, spend more time being exposed to the ads in the traditional printed publication. Accordingly, printed publications continue to flourish today more than five centuries after Gutenberg made them possible.

25 In addition, there are many new technologies that may be used to present information to a user. Electronic publications typically have been viewed through a screen of a personal computer. However, new means of information exchange exist now and will proliferate in the future. Such means include, for example, Palm Pilot computers, personal digital assistants, personal appliances, pagers, cellular telephones,  
30 and other means of information exchange and presentation. Unfortunately, these various technologies that can be employed to present publications to users typically

require publications to be sent in a specific format that can be recognized and manipulated accordingly.

#### SUMMARY OF THE INVENTION

5 In light of the forgoing, the present invention provides for a system and method in a server for transforming a work order file for presentation via a presentation platform. In one embodiment, the system includes a processor coupled to a local interface and a memory coupled to the local interface. Processing logic is stored on the memory and is executable by the processor. The processing logic  
10 includes an extensible stylesheet language transform (XSLT) processor and logic to determine the presentation platform on which the work order file is to be presented. Finally, the processing logic includes logic to apply the work order file to the XSLT processor to generate an output file.

The present invention may also be viewed as a method in a server for  
15 transforming a work order file for presentation via a presentation platform. The present method includes the steps of providing an extensible stylesheet language transform (XSLT) processor in a server, determining a presentation platform on which the work order file is to be presented, and generating an output file in the server to be applied to the presentation platform by processing the work order file with the XSLT  
20 processor.

The present invention provides distinct advantages. Specifically, it allows users to request a specific publication that is delivered to a client in a convenient manner. In addition, the publication is formatted in a digital file that is recognizable and may be manipulated by one or more of a number of presentation platforms. Thus,  
25 the present invention provides a publication to a user that may include content from many sources to users in a form convenient to the particular user. In addition, to transform the content into the digital file format that is recognizable by the respective presentation platform, an XSLT processor is employed. The XSLT processor may be used to perform any number of different transforms by using various stylesheets.  
30 Thus, for each new transform, only a new stylesheet is needed as opposed to an appropriate change in the XSLT processor.

Other features and advantages of the present invention will become apparent to a person with ordinary skill in the art in view of the following drawings and detailed description. It is intended that all such additional features and advantages be included herein within the scope of the present invention.

5

#### BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

The invention can be understood with reference to the following drawings. The components in the drawings are not necessarily to scale. Also, in the drawings, like reference numerals designate corresponding parts throughout the several views.

10

FIG. 1 is a block diagram of a publishing network according to an embodiment of the present invention;

FIG. 2 is a functional block diagram of publication distribution logic executed on a server in the publishing network of FIG. 1;

15

FIG. 3 is a functional block diagram of work centers employed in the publication distribution logic of FIG. 2;

FIG. 4 is a flow chart of functionality of the publication distribution logic of FIG. 2;

FIG. 5 is a flow chart of further functionality of the publication distribution logic of FIG. 2;

20

FIG. 6 is a flow chart of further functionality of the publication distribution logic of FIG. 2;

FIG. 7 is a functional block diagram of second embodiment of publication distribution logic executed on a server in the publishing network of FIG. 1; and

25

FIG. 8 is a flow chart of further functionality of the publication distribution logic of FIG. 7.

#### DETAILED DESCRIPTION OF THE INVENTION

With reference to FIG. 1, shown is a publishing network 100 according to an embodiment of the present invention. The publishing network 100 includes a publication server 103, a publisher server 106, and a client 109. The publication server 103, publisher server 106, and the client 109 are in data communication with

30

each other by way of a network 113. The network 113 may be, for example, the Internet, wide area networks (WANs), local area networks, wireless networks, or other suitable networks, *etc.* The network 113 may represent a combination of two or more of the above networks as well.

5           The publication server 103 includes a processor circuit that has a processor 123 and a memory 126, both of which are coupled to a local interface 129. The local interface 129 may be, for example, a data bus with an accompanying control bus as known by those with ordinary skill in the art.

          Stored on the memory 126 is publication distribution logic 133, a database  
10   136, and server request logic 139. The publication distribution logic 133 is executable by the processor 123 to generate a publication in digital form in a format that is recognizable by any one of a number of presentation platforms embodied in the client 109. Specifically, the publication distribution logic 133 receives a request for a particular publication and then generates the publication in the desired digital format  
15   that is transmitted to a presentation platform as will be discussed. The database 136 contains the content that is used to generate the publication as well as other information and data files employed by the publication distribution logic 133.

          The publisher server 106 has a processor circuit that includes a processor 153 and a memory 156, both of which are coupled to a local interface 159. The local  
20   interface 159 may be, for example, a data bus with an accompanying control bus as known by those with ordinary skill in the art. Stored on the memory 156 is content transfer logic 163 and publishing content 166. The content transfer logic 163 is executable by the processor 153 to transmit the publishing content 166 to the publication server 103.

25           The client 109 also includes a processor circuit that features a processor 173 and a memory 176, both of which are coupled to a local interface 179. The local interface 179 may be, for example, a data bus with an accompanying control bus as known by those with ordinary skill in the art. Stored on the memory 176 and executable by the processor 173 are client request logic 193 and a browser 196  
30   according to one embodiment of the present invention. The client request logic 193 is executable by the processor 173 to request a desired publication from the publication

server 103. The browser 196 is executable by the processor 173 to present a publication received from the publication server 103 to a user. In this regard, the browser 196 executed on the client 109 provides an example of a presentation platform that is employed to present the publication to the user. According to the present invention, other presentation platforms may be employed as well.

The memories 126, 156, and 176 may include both volatile and nonvolatile memory components. Volatile components are those that do not retain data values upon loss of power. Conversely, nonvolatile components retain data upon a loss of power. Thus, the memories 126, 156, and 176 may comprise, for example, random access memory (RAM), read-only memory (ROM), hard disk drives, floppy disks accessed via an associated floppy disk drive, compact disks accessed via a compact disk drive, magnetic tapes accessed via an appropriate tape drive, and/or other memory components, or a combination of any two or more of these memory components.

In addition, each of the processors 123, 153, and 173 may represent multiple processors that operate in parallel. Similarly, each of the memories 126, 156, and 176 may represent multiple memories that are used in conjunction with the respective parallel processors. In such a case, each of the local interfaces 129, 159, and 179 may be an appropriate network that facilitates communication between any two of the multiple processors or between any one processor and any one memory, *etc.* In addition, the processors 123, 153, and 173; memories 126, 156, and 176; and local interfaces 129, 159, and 179 may be electrical or optical in nature. The memories 126, 156, and 176 may also be magnetic in nature.

User input devices (not shown) that may be employed with the publication server 103, the publisher server 106, and the client 109 include, for example, but are not limited to, scanners, keyboards, keypads, touch pads, touch screens, microphones, mice, joysticks, or one or more push buttons, *etc.* User output devices may include display screens, indicator lights, speakers, printers, *etc.* The particular display devices may further comprise, for example, a liquid crystal display screen, a gas plasma-based flat panel display, indicator lights, light emitting diodes, and other display devices.

In light of the foregoing discussion of the publishing network 100, the following provides a general operational overview. To begin, the client 109 executes the client request logic 193 to generate a request for a particular publication to present to the user by way of a particular presentation platform, such as, for example, the browser 196. Pursuant to the client request logic 193, the request can be generated on demand by the user, or alternatively, the request can be generated by the client request logic 193 in an automated fashion periodically according to predefined parameters as entered by the user. The request is then transmitted to the publication server 103 by way of the network 113.

Alternatively, a request for a particular publication may be generated in the publication server 103 pursuant to the server request logic 139. In particular, the server request logic 139 may be preset to specify one or more publications to be delivered to a user periodically at specific times. To this end, the server request logic 139 may include a scheduling database, for example, that includes prescription and delivery information. Such a database may be automatically searched to generate a request for a publication to be delivered to a user. The precise publication(s) and delivery times, *etc.*, may be determined when the user first subscribes to the publication service.

Whether generated in the client 109 or in the publication server 103, the request for a publication is provided to the publication distribution logic 133. The request includes information such as a publication identifier, a presentation platform identifier, a request identifier, and other information as needed. The publication identifier signifies the desired publication; the presentation platform identifier identifies the specific presentation platform that is to be employed to present the information to the user; and the request identifier uniquely identifies the request. The publication server 103 then reacts to the request by generating the desired publication. In particular, the publication server 103 gathers the content of the publication from the database 136 and generates the publication in a digital format that is recognizable by the specific presentation platform. The publication server 103 pursuant to the publication distribution logic 133 transmits the publication to the presentation platform such as, for example, the browser 196 executed on the client 109.



Upon receiving the publication, the presentation platform such as, for example, the browser 196 executed in the client 109 proceeds to perform all necessary operations to present the information to the user. In particular, various presentation platforms may be employed to present the publication to the user in one of several forms. For example, the publication may be presented as a printed document, a display on a display device, or other types of presentation modes. Thus, the concept of "presenting a publication to a user" as contemplated herein is defined broadly as depicting a publication in a form that is perceivable by a user so that the user may comprehend the information contained therein. The term "presentation platform" is defined herein as the system or device that is employed to present the publication to the user. A particular presentation platform may be implemented in terms of software executed on general purpose hardware, dedicated hardware that performs the functional aspects of the particular presentation platform, or a combination of software/general purpose hardware and dedicated hardware.

For example, one presentation platform may comprise a client 109 that executes a browser 196 as shown with reference to FIG. 1. Alternatively, an electronic mail service or mail reader may be employed in the place of the browser 196. Another presentation platform may comprise the client 109 with an attached printer to print the publication in the form of a document. In this regard, logic would be stored on the memory 176 and executed by the processor 173 to print out a publication received from the publication server 103 on the attached printer.

Further presentation platforms may include a pager device, cellular telephone device, personal appliance, Palm Pilot computers, personal digital assistants, or other mobile device that provides a screen or other means for displaying information to a user. For example, a pager or cellular telephone may include a processor circuit with a processor and a memory. Stored on this memory and executable by the processor may be, for example, a mini browser, electronic mail reader, or other logic to present the publication to the user via an appropriate display device, *etc.* In yet another alternative, the presentation platform may comprise a voice synthesizer executed on the client 109 with a voice signal output supplied to an output speaker. Also, the presentation platform may comprise, for example, electronic books, *etc.*

The presentation platforms discussed herein are provided as examples of a number of potential presentation platforms for which a publication may be prepared by the publication distribution logic 133. Other presentation platforms not discussed herein may further be identified by those with ordinary skill in the art. Such presentation platforms fall within the scope of the present invention. The publication distribution logic 133 serves to generate a publication in a digital format that is recognizable by any one of a number of prospective presentation platforms.

With reference to FIG. 2, shown is a functional block diagram of the publication distribution logic 133 (FIG.1) according to an embodiment of the present invention. As shown in FIG. 2, each block represents a module, object, or other grouping or encapsulation of underlying functionality as implemented in programming code. However, the same underlying functionality may exist in one or more modules, objects, or other groupings or encapsulations that differ from those shown in FIG. 2 without departing from the present invention as defined by the appended claims.

To begin, the publication distribution logic 133 receives a request 203 from either the client 109 (FIG. 1) pursuant to the client request logic 193 (FIG. 1) or from the publication server 103 (FIG. 1) pursuant to the server request logic 139 (FIG. 1) as discussed above. The request 203 includes, for example, a request identifier 206, a publication identifier 209, a presentation platform identifier 213 and refinements 216. It is understood that the request 203 may also include other information as appropriate or necessary to the formation of a particular publication.

The publication distribution logic 133 also includes a dispatcher 223, an order factory 226, and the database 136 as shown. Also, the publication distribution logic 133 includes publication assembly logic 227 with work centers 229 that generate one or more intermediate files 233 and an output file 236. The output file 236 is transmitted to a client 109. The publication distribution logic 133 also includes a content transformer 239 that receives the publication content 166 from the publisher server 106 (FIG. 1) and transforms it into a format for storage in the database 136. The format employed to store the publication content 166 on the database 136 may involve the use of, for example, extensible markup language (XML) or other suitable

language. The specific format employed is such to allow the content to be recognized and manipulated by the other modules, objects, or other elements of the publication distribution logic 133.

Next a discussion of the operation and functionality of the components of the publication distribution logic 133 is offered. To begin, the request 203 that is generated either in the publication server 103 (FIG. 1) or in the client 109 (FIG. 1) is received by the dispatcher 223. Upon receiving a request 203, the dispatcher 223 supplies the request 203 to the order factory 226 to obtain a list of the content that is associated with the desired publication as identified by the request 203. In particular, the request 203 includes the publication identifier 209 that is associated with the list of content included in the publication to be generated by the publication distribution logic 133. The order factory 226 uses the publication identifier 209 to search the database 136 for all content items, which may include both images and text that are associated with the publication identifier 209.

Upon identifying all of the content items associated with the publication identifier 209 in the database 136, the order factory 226 generates an order (not shown) that essentially comprises a list of the content items in terms of their file name and location in the database 136. Also, in performing the search in the database 136, the order factory 226 may consult any refinements 216 that are included in the request 203 to limit or to qualify the search for the content that is performed. For example, the refinements 216 may indicate a particular issue date of a content item that is to be obtained or other general parameters relating to the content items themselves. After the order factory 226 creates the order that lists the content of the publication, it is then returned to the dispatcher 223.

When the dispatcher 223 receives the request 203, it performs a search of the database 136 for an appropriate routing associated with the presentation platform as identified by the presentation platform identifier 213. In this regard, the database includes a number of routings, each one associated with a particular presentation platform. The dispatcher 223 also searches for any stylesheets and/or templates that are also stored in the database 136 to be employed by future work centers 229 in processing the publication before it is transmitted to the client 109 (FIG. 1) as the

output file 236. Also, the dispatcher 223 transforms the order from the order factory 226 into a work order that is in a predefined format. For example, the work order that is generated contains the same information as the request 203 except it is in a format that is acceptable for further processing by the work centers 229.

5       The format employed for the work order may be, for example, a document type definition (DTD) using extensible markup language (XML) file or other similar structure that may be interpreted by the appropriate work center 229. For example, a work center 229 may include an extensible stylesheet language (XSL) processor that performs various functions identified on an appropriate stylesheet in light of the work  
10   order that is in XML format.

After the dispatcher 223 has the work order, the routing, and any  
stylesheets/templates necessary to transform the content into the output file 236, the  
dispatcher 223 calls or otherwise activates the first work center 229 in the routing to  
begin processing the work order. Specifically, the dispatcher 223 supplies the work  
15   order and the stylesheet/template to the appropriate work center 229. The work center  
229 will then perform the functionality identified in the stylesheet/template to either  
generate the output file 236 or an intermediate file 233. The intermediate file 233  
may be used, for example, when there are multiple work centers 229 that must be  
employed based upon a particular routing to generate the output file 236. In particular  
20   one or more work centers 229 may create one or more intermediate files 233 as  
needed. For example, a work center 229 may obtain the actual content items from the  
database 136 based upon the listing thereof in the work order supplied by the  
dispatcher 223. These content items may be stored in random access memory in the  
publication server 103 as an intermediate file 233 in a format that is recognizable by  
25   subsequent work centers 229 identified in the routing. In this manner, the content  
items are then stored in random access memory where they may be further  
manipulated as necessary to produce the output file 236. The ultimate result of the  
transformations and other functionality performed by the work centers 229 is the  
output file 236 that is ultimately transmitted to the client 109 (FIG. 1).

30       The publication distribution logic 133 also includes the content transformer  
239. The content transformer 239 essentially parses publishing content 166 received

from the publisher server 106 and transforms it into appropriate format to be stored on the database 136. The format may use, for example, one or more document type definition(s) (DTD) using XML or other particular formatting language, *etc.* The format into which the content transformer 239 places the publishing content 166 is that which is compatible with the order factory 226, the dispatcher 223, and the work centers 229.

With reference to FIG. 3, shown is the publication assembly logic 227 that includes a functional block diagram of the work centers 229a, b, c... along with the work order 243 and the output file 236 that is supplied to the client 109 (FIG. 1). As depicted in FIG. 3, a work order 243 that has been generated by the dispatcher 223 (FIG. 2) is supplied to the first work center 229a that ultimately generates the intermediate file 233a. The work center 229a receives the content items from the database 136 as identified by the dispatcher 223 as well as any stylesheets/templates that are necessary to perform the operations of work center 229a. Work center 229a ultimately generates intermediate file 233a. Work center 229b then operates on the intermediate file 233a to produce intermediate file 233b and so on until a final work center 229c produces the output file 236 as shown. The number of work centers 229 that may be employed in transforming a work order 243 into the output file 236 may vary depending on the particular presentation platform that is employed by the client 109. For example, some presentation platforms may require much more processing than other presentation platforms to transform the work order 243 into the output file 236. Thus, for some presentation platforms, only a single work center 229 need be employed to obtain an output file 236 without intermediate files 233 whereas other presentation platforms may employ multiple work centers 229 with multiple intermediate files 233.

The work centers 229 as shown perform various functions. Some of these functions may be, for example, transforming an extensible markup language (XML) file to another XML file. Other functions may involve extracting metadata from a file, generating a summary of a file, or performing various housekeeping functions such as deleting intermediate files out of memory, *etc.* The work centers 229 may

comprise, for example, an extensible stylesheet language (XSL) processor that operates on appropriate stylesheets.

Referring next to FIG. 4, shown is a flow chart of the particular logical functions performed by the dispatcher 223 (FIG. 2). Alternatively, the flow chart of FIG. 4 may represent the method steps taken by the dispatcher 223. Beginning with block 303, the dispatcher 223 waits for a request 203 (FIG. 2) to be received from either the publication server 103 (FIG. 1) pursuant to the server request logic 139, or from the client 109 pursuant to the client request logic 193 (FIG. 1). Assuming that a request 203 has been received, the dispatcher 223 moves on to block 306 in which the content items associated with the particular publication to be generated are identified on the database 136 (FIG. 2) through the order factory 226 (FIG. 2). Thereafter, in block 309 the dispatcher 223 generates the work order 243 (FIG. 3) from the order received from the order factory 226.

Next, in block 313 the dispatcher 223 identifies a routing and any stylesheets/templates that are needed to process the work order 243 by the work centers 229 (FIG. 3). Thereafter, the dispatcher 223 moves to block 316 in which an appropriate work center 229 is called to perform a transformation of either the work order 243 or an intermediate file 233 (FIG. 2) as indicated by the routing received from the database 136. In particular, the work order 243/intermediate file 233 may be processed into either another intermediate file 233 or the output file 236. In addition, the operation of the work centers 229 may involve functions other than transforming the work order 243/intermediate file 233 as discussed previously.

Next, in block 319 the dispatcher 223 determines whether the last transformation and/or other operation has been performed by the final work center 229, thereby resulting in the output file 236 (FIG. 2). Such is indicated, for example, by the routing that is associated with the particular presentation platform 213 (FIG. 2). If not, then the dispatcher 223 reverts back to block 316 for further transformations and/or other operations to be performed by additional work centers 229. However if the last transformation and/or other operation is performed in block 319, then the dispatcher 223 moves to block 323 in which the output file 236 (FIG. 2) is transmitted to the client 109 (FIG. 1) accordingly.

Turning then to FIG. 5, shown is a flow chart of the order factory 226 according to another aspect of the present invention. Alternatively, the flow chart of FIG. 5 may represent the method steps taken by the order factory 226. The functionality performed by the order factory 226 generally obtains the list of the content items to be placed in the publication from the database 136 as discussed previously. Beginning with block 353, the order factory 226 identifies any applicable refinements 216 (FIG. 2) and content rules that apply to the particular publication. The refinements 216 (FIG. 2) are found in the request 203 (FIG. 2) and the content rules may be obtained from the database 136 (FIG. 1). For example, the refinements may include a publication date, a type of content item, or other such identifying information. The content rules may stipulate, for example, that a certain content item is not to be published until after a specific date also known as a "blackout" date, *etc.*

Thereafter, the order factory 226 moves to block 356 in which the database 136 (FIG. 2) is queried in light of the publication identifier 209, the refinements 216, and the content rules that apply to the specific content item. Then, in block 359, the order factory 226 assembles the content item identifiers in an order that is sent back to the dispatcher 223. The order itself may comprise a particular data structure stored in the memory 126 (FIG. 1). Finally, in block 363 the order data structure is applied to the dispatcher 223 for further processing to generate the work order 243 and to be processed by the work centers 229, *etc.* Thereafter, the order factory 226 ends appropriately.

With reference to FIG. 6, shown is a flow chart that provides an example of functionality that is performed by a work center 229 (FIG. 2) in the case that the work center 229 is an XSL processor. Alternatively, the flow chart of FIG. 6 may represent the method steps taken by the work center 226. Beginning with block 383, the work center 229 obtains any necessary stylesheet and/or template from the database 136 (FIG. 2). Thereafter, in block 386 the work center 229 executes instructions on the stylesheet to transform a prospective work order 243 (FIG. 3)/intermediate file 233 (FIG. 2) into an appropriate interim file 223/output file 236 (FIG. 2). The work center 229 obtains any necessary content items from the database 136 as well. Thereafter, in block 389 the work center 229 informs the dispatcher 223

(FIG. 2) that the transformation is complete so that the next work center 229 may be called or otherwise activated by the dispatcher 223.

With reference to FIG. 7, shown is a functional block diagram of publication distribution logic 133a that provides a specific example of the publication distribution logic 133 (FIG. 1) according to another embodiment of the present invention. As shown in FIG. 7, each block represents a module, object, or other grouping or encapsulation of underlying functionality as implemented in programming code. However, the same underlying functionality may exist in one or more modules, objects, or other groupings or encapsulations that differ from those shown in FIG. 7 without departing from the present invention as defined by the appending claims.

According to this embodiment, the publication distribution logic 133a employs an extensible stylesheet language transform (XSLT) processor as a general extensible mark up language (XML) transformation processor. This provides a beneficial approach to transforming content identified in a request 203 into an output file 236 (FIG. 2) specifically created for a particular presentation platform. In particular, it provides for the advantageous use of stylesheets in conjunction with a transformation of content into an output file 236.

As shown in FIG. 7, the publication distribution logic 133a includes a dispatcher 223a that receives the request 203. The dispatcher 223a obtains a routing based upon the presentation platform identifier 213. The routing indicates the particular transformations that are to be applied to the content associated with the request 203 to generate an output file 236 (FIG. 2). The routing is obtained from the database 136 via the order factory 226 as was described with reference to FIG. 2. A work order 243a is generated based upon the request 203 in a similar manner as was discussed with reference to FIG. 2.

The work order 243a is an XML file format, a format that is generally understood by those with ordinary skill in the art. The work order 243a is applied to the XSLT processor 229aa along with a stylesheet 401. The stylesheet 401 is identified by the dispatcher 223a based upon the routing previously determined. The stylesheet 401 may be, for example, a complete stylesheet, an intermediate stylesheet, or a final intermediate stylesheet as will be discussed.



Upon receiving the work order 243a and the stylesheet 401, the XSLT processor 229aa generates one of several different types of files. For example, the XSLT processor 229aa may generate an intermediate file 233aa, a Datalogics (DL) instance file 233ab, Design Intelligence (DI) instance file 233ac, a hypertext mark up language (HTML) file suitable for a browser 236c, a HTML file suitable for a personal digital assistant 236d, or a long word report 236e, *etc.* The stylesheets 401 are obtained from the database 136. To process the work order 243a and the stylesheet 401, the dispatcher 223a makes appropriate calls to the XSLT processor 229aa that identify the work order 243a and the stylesheet 401 to be processed.

The DL instance file 233ab is one that may be processed by the DL processor 229ab such as the DL Formatter™, a product of Datalogics, Inc., located in Chicago, Illinois. The DL processor 229ab may be employed to produce, for example, documents in portable document format (PDF) as is generally known by those with ordinary skill in the art. The DI instance file 233ac is one that may be processed by a DI processor 229ac such as the Live Layout Engine™, a product of Design Intelligence, Inc., located in Seattle, Washington.

The use of the XSLT processor 229aa in the publication distribution logic 133a provides a significant benefit. Specifically, the same XSLT processor 229aa may be employed to perform many different transformations according to a specific routing without the need for further work centers 229 (FIG. 2). All that needs to be created are the appropriate stylesheets 401 for each specific transformation.

In the case that the XSLT processor 229aa creates an intermediate file 233aa, then the dispatcher 223a identifies an intermediate stylesheet 401 that is to be used to transform the intermediate file 233aa into a subsequent output/intermediate file. Both the intermediate stylesheet 401 and the intermediate file 233aa are then supplied to the XSLT processor 229aa where the XSLT processor may generate one of the files previously discussed. If the routing calls for a final transformation to be performed upon an intermediate file 233aa, the dispatcher 223a identifies a final intermediate stylesheet 401 and supplies the same to the XSLT processor 229aa with the corresponding intermediate file 233aa. The XSLT processor 229aa then generates an appropriate output file 236 or one of the instance files 233ab or 233ac therefrom.

Thus, the final intermediate stylesheet 401 is employed to perform a final transformation that results in a file other than a further intermediate file 233aa.

Note in some cases an instance file 233 is generated by the application of a final intermediate stylesheet 401 to an intermediate file 233aa. In this situation, the dispatcher 223 then calls, for example, to either the DL processor 229ab, the DI processor 229ac or other work center to perform a further transformations as necessary for such presentation platforms to generate, for example, output files 236a or 236b. Thus the dispatcher 223a may employ further work centers 229 beyond the XSLT processor 229aa when transformations must be made to various files that are beyond the capability of the XSLT processor 229aa. Note there may be other types of output files 236 that are generated to be sent to the presentation platform using the XSLT processor 229aa within the publication distribution logic 133a as discussed above.

Turning then to FIG. 8, shown is a flowchart of the dispatcher 223a according to an aspect of the present invention. Alternatively, the flowchart of FIG. 8 may be viewed as a method implemented in the publication server 103 (FIG. 1). The flowchart of FIG. 8 shows the particular tasks performed in the dispatcher 223a according to the publication distribution logic 133a. Beginning with block 503, the dispatcher 223a determines whether a request 203 (FIG. 7) has been received that is to be processed by the publication distribution logic 133a. If so, then the dispatcher 223a moves to block 506. In block 506, the content items associated with a particular publication to be generated are identified in the database 136 (FIG. 7) through the order factory 226 (FIG. 7). Thereafter, in block 509, the dispatcher 223a generates the work order 243a (FIG. 7) from the order received from the order factory 226.

Then, in block 513 the dispatcher 223a identifies a stylesheet 401 (FIG. 7) from the database 136 based upon the routing associated with the particular request 203. Thereafter, in block 516 the stylesheet 401 and work order file 243a are applied to the XSLT processor 229aa (FIG. 7) to perform the particular transformation. In block 519, it is determined whether there are further XSLT transformations to be made. Specifically, if the XSLT processor 229aa generates an intermediate file 233aa in block 516, then further XSLT transforms may be required. Assuming that

there are no further XSLT transforms to be performed, then the dispatcher 223a moves to block 523 in which it determines whether there are any further transforms other than the XSLT transforms to perform on the output of the XSLT processor 229aa.

5 Referring back to block 519, assuming that there are further XSLT transforms to be performed, then the dispatcher 223a moves to block 526 in which the next stylesheet 401 is identified based upon the routing. Note that the next identified stylesheet 401 may be an intermediate stylesheet or a final intermediate stylesheet as it is to be applied to the XSLT processor 229aa along with an intermediate file 233aa.

10 Thereafter the dispatcher 223 moves to block 516 in which the intermediate or final intermediate stylesheet 401 is applied to the XSLT processor along with the intermediate file 233aa to perform the corresponding transformation.

Assuming that the dispatcher 223a moves to block 523, next it is determined that further transforms are required by other work centers 229 (FIG. 2). Such other

15 work centers 229 may include, for example, the DL processor 229ab or the DI processor 229ac. If there are further transforms to be performed, the dispatcher 223a moves to block 529 in which the appropriate work centers 229 are called to perform the various tasks needed in order to generate a corresponding output file 236 (FIG. 2). Thereafter the dispatcher 223a moves to block 533. Regardless of whether the

20 dispatcher 223a has reached block 533 from block 523 or 529, the output file 236 that may include, for example, any one of the output files 236a-e, is transmitted to the presentation platform accordingly. Thereafter, the dispatcher 223a ends and moves to block 503 to begin the process anew.

Among the advantages provided by the present invention is the fact that the

25 publication distribution logic 133 allows users to request a publication that is delivered to a client 109 in a convenient manner. In addition, the publication is formatted in a digital file (the output file 236) that is recognizable and may be manipulated by one of a number of presentation platforms. Thus, the present invention provides a publication to a user that may include content from many sources

30 in a form convenient to the particular user.

Referring back to FIG. 1, although the logic 133, 133a, 136, 139, 163, 193 and 196 of the present invention is embodied in software as discussed above, as an alternative the logic 133, 133a, 136, 139, 163, 193, and 196 may also be embodied in hardware or a combination of software and hardware. If embodied in hardware, the logic 133, 133a, 136, 139, 163, 193, and 196 can be implemented as a circuit or state machine that employs any one of or a combination of a number of technologies. These technologies may include, but are not limited to, discrete logic circuits having logic gates for implementing various logic functions upon an application of one or more data signals, application specific integrated circuits having appropriate logic gates, programmable gate arrays (PGA), field programmable gate arrays (FPGA), or other components, *etc.* Such technologies are generally well known by those skilled in the art and, consequently, are not described in detail herein.

The block diagrams and/or flow charts of FIGS. 2-8 show the architecture, functionality, and operation of an implementation of the logic 133 and 133a. If embodied in software, each block may represent a module, segment, or portion of code that comprises one or more executable instructions to implement the specified logical function(s). If embodied in hardware, each block may represent a circuit or a number of interconnected circuits to implement the specified logical function(s). Although the block diagrams and/or flow charts of FIGS. 2-8 may show a specific order of execution, it is understood that the order of execution may differ from that which is depicted. For example, the order of execution of two or more blocks may be scrambled relative to the order shown. Also, two or more blocks shown in succession in FIGS. 2-8 may be executed concurrently or with partial concurrence. It is understood that all such variations are within the scope of the present invention.

Also, the logic 133 and 133a can be embodied in any computer-readable medium for use by or in connection with an instruction execution system such as a computer/processor based system or other system that can fetch or obtain the logic from the computer-readable medium and execute the instructions contained therein. In the context of this document, a "computer-readable medium" can be any medium that can contain, store, or maintain the logic 133 and 133a for use by or in connection with the instruction execution system. The computer readable medium can comprise

any one of many physical media such as, for example, electronic, magnetic, optical, electromagnetic, infrared, or semiconductor media. More specific examples of a suitable computer-readable medium would include, but are not limited to, a portable magnetic computer diskette such as floppy diskettes or hard drives, a random access  
5 memory (RAM), a read-only memory (ROM), an erasable programmable read-only memory, or a portable compact disc.

Although the invention is shown and described with respect to certain preferred embodiments, it is obvious that equivalents and modifications will occur to others skilled in the art upon the reading and understanding of the specification. The  
10 present invention includes all such equivalents and modifications, and is limited only by the scope of the claims.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202